



# Digital ABS caliper for pipe wall thickness

Article number: 573-761-20

Sicherheit  
Staub- und  
wasserge-  
schützt

TÜV Rheinland  
ZERTIFIZIERT

www.tuv.com  
ID 2011207400

**ABSOLUTE®**  
**IP67**

## Pictures



## Description


wall thickness caliper

## specifications

Drive roller:	<b>Yes</b>
---------------	------------

Limit of measurement error E MPE:	<b>±0.002"</b>
Max. reaction speed:	<b>Unlimited</b>
ORIGIN (ABS zero point):	<b>Yes</b>
Automobile. Shutdown after 20 minutes without function:	<b>Yes</b>
Low voltage alarm:	<b>Yes</b>
Data output:	<b>Yes</b>
Battery life:	<b>Approx. 5 years with normal use</b>
Weight:	<b>167g _</b>

## Dimensions



## Accessories

### Special accessories:



**Digimatic line, data button, IP  
1m, vernier caliper model**  
**05CZA624**  
RRP: € 98.00 \*



**Digimatic line, data button, IP  
2m, vernier caliper model**  
**05CZA625**  
RRP: € 104.00 \*



**USB Input Tool Direct (Digimatic USB)  
Digi/Digi2, With Data Button IP Caliper Model**  
**06AFM380A**  
RRP: € 138.00 \*



**U-WAVE fit, IP67 model  
Transmitter for vernier calipers**  
**264-620**  
RRP: € 183.00 \*



**U-WAVE fit, buzzer model  
Transmitter for vernier calipers**  
**264-621**  
RRP: € 183.00 \*



**U-WAVE Bluetooth, IP67  
Bluetooth transmitter for calipers**  
**264-624**  
RRP: € 181.00 \*



**U-WAVE Bluetooth, buzzer  
Bluetooth transmitter for calipers**  
**264-625**  
RRP: € 181.00 \*



**Connection unit, U-WAVE fit**  
**Waterproof model**  
**02AZF310**  
RRP: € 107.00 \*

**spare Parts**

**Consumables:**



**Battery SR-44 1.5V**  
**938882**