


Mitutoyo

Digital ABS AOS caliper

Article number: 573-191-30



Pictures



Description

Constant force caliper with drive roller, for measuring flexible materials


specifications

Limit of measurement error E MPE:	±0.05mm
Digit increment:	0.01mm
Max. reaction speed:	Unlimited
range of motion:	0.3mm _
Advertisement:	LCD, digit height 9 mm
Scope of delivery:	In a box, incl. 1x SR-44 battery
ORIGIN (ABS zero point):	Yes
ON/OFF:	Yes
ABS / INC (INC ZERO) :	Yes
Low voltage alarm:	Yes
Data output:	Yes
Battery life:	Approx. 18,000 hours

Weight:

253g _

Dimensions



Accessories

Special accessories:



**Digimatic line
Data button, 1m**
959149
UVP: 47,00 €*



**Digimatic Leitung
Datentaste, 2m**
959150
UVP: 55,00 €*



**USB Input Tool Direct (Digimatic USB)
Digi/Digi2, gerade, Datentaste**
06AFM380C
UVP: 121,00 €*



**U-WAVE fit, IP67 Modell
Sender für Messschieber**
264-620
UVP: 183,00 €*



**U-WAVE fit, Summer Modell
Sender für Messschieber**
264-621
UVP: 183,00 €*



**U-WAVE Bluetooth, IP67
Bluetooth Sender für Messschieber**
264-624
UVP: 181,00 €*



**U-WAVE Bluetooth, Summer
Bluetooth Sender für Messschieber**
264-625
UVP: 181,00 €*



**Anschlusseinheit, U-WAVE fit
Standard Modell**
02AZF300
RRP: € 102.00 *



Hold unit for Digimatic calipers
959143
RRP: € 35.00 *

spare Parts

Consumables:



**Battery SR-44 1.5V
938882**