Mitutoyo

Digital ABS Carb. Fibre Caliper Long

Jaw Item number: 552-152-10



Images



Description

This is a lightweight standard model of Digimatic caliper with $\ensuremath{\mathsf{extra-long}}$ jaws.

It offers you the following benefits:

- Its ultra-lightweight design (with carbon fibre reinforced
- material) reduces total weight by up to 50%.
- It has excellent resistance against water and dust (IP66 protection level) enabling you to use it in machining situations that include splashing coolant fluid.
- Direct readout of inside measurements from the LCD (you can easily set the offset value by using the offset button).
- Preset function lets you set a desired starting point.


Features

DATA (output with cable) / HOLD (display value):	Yes
Inside measuring from:	20.1 mm
Max. Permissible Error E MPE:	±0,07 mm
Max. Permissible Error S MPE:	±0,07 mm
Max. response speed:	Unlimited
ORIGIN (ABS-Zero):	Yes
OFFSET:	20 mm
Auto Power OFF after 20 min. non use:	Yes
Low voltage alarm:	Yes
Data output:	Yes
Battery life:	Approx. 5000 hours

https://shop.mitutoyo.eu/web/mitutoyo/en/mitutoyo/\$catalogue/mitutoyoData/PR/552-152-10/datasheet.xhtml

Mass:

Dimensions



2090 g

Accessories

	Digimatic Cable with Data Button IP Type 1m, Caliper Type 05CZA624 Suggested retail price: 98.00 €*	
	Digimatic Cable with Data Button IP Type 2m, Caliper Type 05CZA625 Suggested retail price: 104.00 €*	
-9	USB Input Tool Direct (Digimatic USB) Digi/Digi2, With Data Button IP Caliper Type 06AFM380A Suggested retail price: 138.00 €*	
e insure insure to de	U-WAVE-T, Buzzer Type Wireless Transmitter 02AZD880G Suggested retail price: 183.00 €*	
C Marrie	U-WAVE-T, IP67 Type Wireless Transmitter 02AZD730G Suggested retail price: 183.00 €*	
Į	U-WAVE-T Connection Cable A with Data Button IP Caliper Type 02AZD790A Suggested retail price: 107.00 €*	

Spare parts

	Battery SR44 1.5V	
	938882	
SR44 1.5V NO. 938882 Millingto annual		
Mindays		